

# PATCH TESTING : PATIENT TEST RESULTS

CHEMOTECHNIQUE® DIAGNOSTICS

*First in Patch Testing... Since 1981*

**DORMER LABORATORIES INC.**

**www.dormer.com**

Patient Name: \_\_\_\_\_

ID#: \_\_\_\_\_

Panel Placement: \_\_\_\_\_ (date/time)

Panel Removal: \_\_\_\_\_ (date/time)

Read Date #1: \_\_\_\_\_

Read Date #2: \_\_\_\_\_

Read Date #3: \_\_\_\_\_

Read Date #4: \_\_\_\_\_

CS-1000 Corticosteroid Series			Readings				
#	Article#	Description	#1	#2	#3	#4	Comments
1	B-033B	Budesonide 0.01 pet					
2	B-031	Betamethasone-17-valerat 1.0 pet					
3	T-030	Triamcinolone acetonide 1.0 pet					
4	T-031B	Tixocortol-21-pivalate 0.1 pet					
5	A-023	Alclometasone-17,21-dipropionate 1.0 pet					
6	C-028	Clobetasol-17-propionate 1.0 pet					
7	D-046	Dexamethasone-21-phosphate disodium salt 1.0 pet					
8	H-021A	Hydrocortisone-17-butyrate 1.0 alc					
9	D-057	Desoximetasone 1.0 pet					