



PATCH TEST RECORD FORM
IS-1000 International Standard Series
CHEMOTECHNIQUE PATCH TEST ALLERGENS

Patient Name: _____

Date Applied: _____

Date of 1st reading: _____

Date of 2nd reading: _____

Date of 3rd reading: _____

Compound	Conc %	48H	96H	7 days
1 Potassium dichromate	0.5 pet	[]	[]	[]
2 Neomycin sulfate	20.0 pet	[]	[]	[]
3 Thiuram mix	1.0 pet	[]	[]	[]
4 4-Phenylenediamine base	1.0 pet	[]	[]	[]
5 Formaldehyde	1.0 aq	[]	[]	[]
6 Colophony	20.0 pet	[]	[]	[]
7 Balsam Peru	25.0 pet	[]	[]	[]
8 Wool alcohols	30.0 pet	[]	[]	[]
9 Mercapto mix	1.0 pet	[]	[]	[]
10 Epoxy resin	1.0 pet	[]	[]	[]
11 4-tert-Butylphenolformaldehyde resin	1.0 pet	[]	[]	[]
12 Fragrance mix	8.0 pet	[]	[]	[]
13 Nickelsulfate hexahydrate	2.5 pet	[]	[]	[]
14 2-Mercaptobenzothiazole (MBT)	1.0 pet	[]	[]	[]
15 Budesonide	0.01 pet	[]	[]	[]
16 Quaternium 15 (Dowicil 200)	2.0 pet	[]	[]	[]
17 Cl+Me-isothiazolinone (Kathon CG,100 ppm)	0.01 aq	[]	[]	[]
18 Imidazolidinyl urea (Germall 115)	2.0 aq	[]	[]	[]
19 Tixocortol-21-pivalate	0.1 pet	[]	[]	[]
20 Methyl dibromoglutaronitrile (MDBGN)	0.1 pet	[]	[]	[]