



**PATCH TEST RECORD FORM**  
**MET-1000 Metal Series**  
**CHEMOTECHNIQUE PATCH TEST ALLERGENS**

Patient Name: \_\_\_\_\_

Date Applied: \_\_\_\_\_

Date of 1st reading: \_\_\_\_\_

Date of 2nd reading: \_\_\_\_\_

Date of 3rd reading: \_\_\_\_\_

Compound	Conc %	48H	96H	7 days
1 Zinc	2.5 pet	[ ]	[ ]	[ ]
2 Mercury	0.5 pet	[ ]	[ ]	[ ]
3 Mercuric chloride	0.1 pet	[ ]	[ ]	[ ]
4 Aluminum chloride hexahydrate	2.0 pet	[ ]	[ ]	[ ]
5 Mercury ammoniumchloride	1.0 pet	[ ]	[ ]	[ ]
6 Aluminum	100	[ ]	[ ]	[ ]
7 Palladium chloride	2.0 pet	[ ]	[ ]	[ ]
8 Goldsodiumthiosulfate	2.0 pet	[ ]	[ ]	[ ]
9 Copper sulfate	2.0 pet	[ ]	[ ]	[ ]
10 Goldsodiumthiosulfate	0.5 pet	[ ]	[ ]	[ ]
11 Copper (I) oxide	5.0 pet	[ ]	[ ]	[ ]
12 Tin	50.0 pet	[ ]	[ ]	[ ]
13 Iridium (III) chloride trihydrate	10.0 aq	[ ]	[ ]	[ ]
14 Iridium	1.0 pet	[ ]	[ ]	[ ]
15 Indium	1.0 pet	[ ]	[ ]	[ ]
16 Titanium nitride	5.0 pet	[ ]	[ ]	[ ]
17 Titanium oxide	10.0 pet	[ ]	[ ]	[ ]
18 Zinc chloride	2.0 pet	[ ]	[ ]	[ ]
19 Titanium oxalate	5.0 pet	[ ]	[ ]	[ ]
20 Calcium titanate	10.0 pet	[ ]	[ ]	[ ]
21 Titanium	10.0 pet	[ ]	[ ]	[ ]
22 Vanadium	5.0 pet	[ ]	[ ]	[ ]
23 Molybdenum	5.0 pet	[ ]	[ ]	[ ]
24 Vanadium (III) chloride	1.0 pet	[ ]	[ ]	[ ]
25 Manganese (II) chloride	2.0 pet	[ ]	[ ]	[ ]
26 Stannous oxalate	1.0 pet	[ ]	[ ]	[ ]
27 Zirconium chloride	1.0 pet	[ ]	[ ]	[ ]
28 Tungsten (Wolfram)	5.0 pet	[ ]	[ ]	[ ]
29 Iron (III) chloride	2.0 pet	[ ]	[ ]	[ ]
30 Phenylmercuric acetate	0.01 aq	[ ]	[ ]	[ ]
31 Potassium dicyanoaurate	0.1 aq	[ ]	[ ]	[ ]
32 Silvernitrate	1.0 aq	[ ]	[ ]	[ ]

	<b>Compound</b>	<b>Conc %</b>	<b>48H</b>	<b>96H</b>	<b>7 days</b>
33	Cadmium chloride	1.0 aq	[ ]	[ ]	[ ]
34	Ammonium hexachloroiridate	0.1 aq	[ ]	[ ]	[ ]
35	Indium (III) chloride	10.0 aq	[ ]	[ ]	[ ]
36	Lead acetate trihydrate	0.5 aq	[ ]	[ ]	[ ]
37	Indium sulphate	10.0 aq	[ ]	[ ]	[ ]
38	Ammonium molybdatetetrahydrate	1.0 aq	[ ]	[ ]	[ ]
39	Stannous chloride	1.0 pet	[ ]	[ ]	[ ]
40	Lead chloride	0.2 aq	[ ]	[ ]	[ ]
41	Ammonium hexachloroplatinate	0.1 aq	[ ]	[ ]	[ ]
42	Ammonium tetrachloroplatinate (II)	0.25 aq	[ ]	[ ]	[ ]