

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____

ID#: _____

Panel Placement: _____ (date/time)

Panel Removal: _____ (date/time)

Read Date #1: _____

Read Date #2: _____

Read Date #3: _____

Read Date #4: _____

MP-1000 (Meth) Acrylate Series Printing			Readings				
#	Article#	Description	#1	#2	#3	#4	Comments
1	E-004	Ethyl acrylate 0.1 pet					
2	E-009	2-Ethylhexyl acrylate 0.1 pet					
3	H-009	2-Hydroxyethyl acrylate 0.1 pet					
4	H-017	2-Hydroxypropyl acrylate 0.1 pet					
5	M-013	Methyl methacrylate 2.0 pet					
6	E-012	Ethyl methacrylate 2.0 pet					
7	B-021	n-Butyl methacrylate 2.0 pet					
8	H-010	HEMA (2-Hydroxyethyl methacrylate) 2.0 pet					
9	H-018	2-Hydroxypropyl methacrylate 2.0 pet					
10	E-007	Ethyleneglycol dimethacrylate 2.0 pet					
11	T-018	Triethyleneglycol dimethacrylate 2.0 pet					
12	M-006B	2,2-bis(4-(2-Methacryloxyethoxy)phenyl)propane/(BIS-EMA) 2.0 pet					
13	B-016	1,4-Butanediol diacrylate 0.1 pet					
14	H-004	1,6-Hexandiol diacrylate 0.1 pet					
15	D-009	Diethyleneglycol diacrylate 0.1 pet					
16	T-023	Tripropyleneglycol diacrylate 0.1 pet					
17	T-021	Trimethylolpropane triacrylate 0.1 pet					
18	P-002	Pentaerythritol triacrylate 0.1 pet					
19	O-003	Oligotriacrylate 480 0.1 pet					
20	E-001	Epoxy acrylate 0.5 pet					
21	U-002	Urethane diacrylate(aliphatic) 0.1 pet					
22	U-003	Urethane diacrylate(aromatic) 0.05 pet					
23	T-017	Triethyleneglycol diacrylate 0.1 pet					
24	M-023	N,N-Methylenebisacrylamid 1.0 pet					