

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____

ID#: _____

Panel Placement: _____ (date/time)

Panel Removal: _____ (date/time)

Read Date #1: _____ Read Date #2: _____

Read Date #3: _____ Read Date #4: _____

NA-1000 North American Baseline Series			Readings				
#	Article#	Description	#1	#2	#3	#4	Comments
1	B-004	Benzocaine 5.0 pet					
2	M-003B	2-Mercaptobenzothiazole (MBT) 1.0 pet					
3	C-020	Colophonium / (Colophony) 20.0 pet					
4	P-006	4-Phenylenediamine base 1.0 pet					
5	I-001A	Imidazolidinyl urea (Germall 115) 2.0 pet					
6	C-014	Cinnamal / (Cinnamic aldehyde) 1.0 pet					
7	A-004	Amerchol L 101 50.0 pet					
8	MX-06	Carba mix 3.0 pet					
9	N-001	Neomycin sulfate 20.0 pet					
10	MX-01	Thiuram mix 1.0 pet					
11	F-002A	Formaldehyde 1.0 aq					
12	E-005	Ethylenediamine dihydrochloride 1.0 pet					
13	E-002	Epoxy resin, Bisphenol A 1.0 pet					
14	C-007B	Quaternium-15 (Dowicil 200) / (1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride) 2.0 pet					
15	B-024	4-tert-Butylphenolformaldehyde resin 1.0 pet					
16	MX-05B	Mercapto mix 1.0 pet					
17	I-004	N-Isopropyl-N-phenyl--4-phenylenediamine 0.1 pet					
18	P-014B	Potassium dichromate 0.25 pet					
19	B-001	Myroxylon pereirae resin / (Balsam Peru) 25.0 pet					
20	N-002B	Nickelsulfate hexahydrate 2.5 pet					
21	D-044C	Diazolidinylurea (Germall II) 1.0 pet					
22	D-047B	DMDM Hydantoin 1.0 pet					
23	B-032B	Bacitracin 20.0 pet					
24	MX-24	Mixed dialkyl thiourea 1.0 pet					
25	C-009A	Methylisothiazolinone + Methylchloroisothiazolinone / (Cl+-Me-isothiazolinone (Kathon CG 100ppm)) 0.01 aq					
26	MX-03A	Paraben Mix 12.0 pet					
27	D-049E	Methyldibromoglutaronitrile (MDBGN) 0.5 pet					
28	MX-07	Fragrance mix 8.0 pet					
29	G-003B	Glutaral / (Glutaraldehyde) 0.5 pet					
30	B-015B	2-Bromo-2-nitropropane-1,3-diol (Bronopol) 0.5 pet					
31	MX-18	Sesquiterpene lactone mix 0.1 pet					
32	MX-25	Fragrance Mix II 14.0 pet					
33	P-019B	Propylene glycol 30.0 aq					
34	H-014C	Benzophenone-3 / (2-Hydroxy-4-methoxybenzophenone) 10.0 pet					

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____

ID#: _____

Panel Placement: _____ (date/time)

Panel Removal: _____ (date/time)

Read Date #1: _____

Read Date #2: _____

Read Date #3: _____

Read Date #4: _____

NA-1000 North American Baseline Series			Readings				
#	Article#	Description	#1	#2	#3	#4	Comments
35	C-010B	Chloroxylenol (PCMX) / (4-Chloro-3,5-xyleneol (PCMX)) 1.0 pet					
36	MX-16	Ethyleneurea, melamine formaldehyde mix 5.0 pet					
37	I-008C	Iodopropynyl butyl carbamate 0.2 pet					
38	MX-26	Disperse Blue 106/124 Mix 1.0 pet					
39	E-004	Ethyl acrylate 0.1 pet					
40	G-004	Glyceryl monothioglycolate (GMTG) 1.0 pet					
41	T-010	Toluenesulfonamide formaldehyde resin 10.0 pet					
42	M-013	Methyl methacrylate 2.0 pet					
43	C-017A	Cobalt(II) chloride hexahydrate 1.0 pet					
44	T-031B	Tixocortol-21-pivalate 0.1 pet					
45	B-033B	Budesonide 0.01 pet					
46	MX-29A	Compositae Mix II 5.0 pet					
47	H-021B	Hydrocortisone-17-butyrate 1.0 pet					
48	D-012	Dimethylol dihydroxyethyleneurea(Fix.CPN) 4.5 aq					
49	C-018	Cocamidopropylbetaine 1.0 aq					
50	T-030	Triamcinolone acetonide 1.0 pet					