

PATCH TESTING : PATIENT TEST RESULTS

Patient Name: _____

ID#: _____

Panel Placement: _____ (date/time)

Panel Removal: _____ (date/time)

Read Date #1: _____

Read Date #2: _____

Read Date #3: _____

Read Date #4: _____

PG-1000 Plastics & Glues Series			Readings				
#	Article#	Description	#1	#2	#3	#4	Comments
1	H-007	Hydroquinone 1.0 pet					
2	D-007	Dibutyl phthalate 5.0 pet					
3	P-011	Phenyl salicylate(Salol) 1.0 pet					
4	D-018	Diocetylphthalate(DEHP,DOP)/(Diethylhexylphthalate) 2.0 pet					
5	D-006	BHT / (2,6-Di-tert-butyl-4-cresol)2.0 pet					
6	H-016	Drometrizole / (2(2-Hydroxy-5-methyl-phenyl)benzotriazol) 1.0 pet					
7	B-007	Benzoylperoxide 1.0 pet					
8	B-030B	4-tert-Butylcatechol (PTBC) 0.25 pet					
9	A-018	Azodiisobutyrodinitrile 1.0 pet					
10	B-013	Bisphenol A/(4,4'-Isopropylidene-diphenol) 1.0 pet					
11	T-015	Tricresyl phosphate 5.0 pet					
12	P-005	Phenol formaldehyde resin (P-F-R-2) 1.0 pet					
13	B-024	4-tert-Butylphenolformaldehyde resin 1.0 pet					
14	T-022	Triphenyl phosphate 5.0 pet					
15	T-010	Toluenesulfonamide formaldehyde resin 10.0 pet					
16	R-002	Resorcinol monobenzoate 1.0 pet					
17	P-007	2-Phenylindole 2.0 pet					
18	B-022	2-tert-Butyl-4-methoxyphenol (BHA) 2.0 pet					
19	A-002	Hydroabietyl alcohol / (Abitol) 10.0 pet					
20	B-023	4-tert-Butylphenol 1.0 pet					
21	M-015	2-Monomethylol phenol/ (Saligenin)1.0 pet					
22	D-025	Diphenylthiourea 1.0 pet					
23	O-004	2-n-Octyl-4-isothiazolin-3-one 0.1 pet					
24	C-027	Cyclohexanone resin 1.0 pet					
25	T-028	Triglycidyl isocyanurate 0.5 pet					